

Supporting Collaboration in Hyku: Workflows, Tools, Design

$\bullet \bullet \bullet$

Gretchen Gueguen, PALCI Digital Projects Manager Amanda Hurford, PALNI Scholarly Communications Director Samvera Connect, October 28, 2020

Outline

- Project Background
- Need and Vision for Collaboration
- Specifications
- Development
- Future plans









Hyku for Consortia - Collaboration at its Core

- Together, we are developing an affordable, open-source, and collaborative institutional repository solution based on the Hyku software.
- PALCI and PALNI partnership
- Representing needs of nearly 100 individual institutions
- Development by Notch8
- Funded by IMLS





Addressing Barriers with Collaboration

1 Budget constraints ✓ Shared cost 2 Staffing limitations ✓ Central administration 3 Lack of Lack	Barriers		Solutions		
limitations Jimitations Jimitations Jimitations Jimitations Jimitations Jimitations Jimitations	1 Bu	udget constraints	\checkmark	Shared cost	
			\checkmark	Central administration	
support	te	echnological		Unified technology management	





Deep Collaboration in Practice



Services of the PALNI Digital Admin Team

Digital Collection Creation in CONTENTdm

Includes setting user permissions, access restrictions, and enabling WorldCat

harvesting/sync.

Website Assistance in CONTENTdm

Custom banner creation for collection website

Creation of custom institutional home page

Training and Support

Getting started with CONTENTdm training in person or via web.

Informal help with various aspects of digital projects, including mapping to Dublin Core, batch

record loading, configuring collection website, and collecting statistics.










Vision for IR Collaboration: Structure



Functional Levels PALNI IR Administration Team Institution Exhibit IR: Institutional Repository C: Collection(s) W: Work(s)







Vision for IR Collaboration: Central Management of a Multitenant Environment

- Ability to host multiple repositories within the same global system, each with its own users, collections, objects, and branding
- Arrangement allowing for "Deep Collaboration" and sharing of workflows across institutions
- Admins can manage (add, edit, delete) multiple institutional repositories, collections, works, and users across institutions
- Admins can manage web interface at both global and institutional level
- Ability to search all consortial content combined





Vision for IR Collaboration: Users

- One to many
- One to one

- Assign roles
- Assign permissions
- Cross-tenant logins







Partnerships for Collaboration

YK




Process

- 1. Gather data on needs from Product Management group
- 2. Analyze and develop potential plans
- 3. Share and revise with Product Management group
- 4. Work with development team to create specific tickets for work
- 5. Coordinate priorities for working on tickets with development team in bi-weekly sprints







But How?







Proposed Workflow

- 1. Create a group of users
- 2. Give that group to some particular roles for CRUD functions at particular levels (tenants, collections, admin sets, or works)
- 3. Manage sipity roles (approve/mediated deposit) according to desire for either global or per-admin-set functions







Definitions: Groups and "Roles"

Groups: sets of users in Hyku given a particular name and treated as a single multiuser entity

Roles: Permissions to do various CRUD and management functions within various domains (tenants, collections/admin sets, and specific works)

Sipity Roles: Permission to deposit and approve in a mediated workflow admin set

Groups can be assigned roles and sipity roles.







Current "roles" in Hyku...

2.

Home / Dashboard / I	Manage Users			
💄 Manage U	Jsers			
Add or Invite user via	əmail			
Add or invite new ad	ministrator (via email)	required		Invite u
There are 5 users in th	nis repository.			
Show 10 v entrie	s			
↓≟ Usernar	ne	11	Roles	1
support	@notch8.com		admin	

Edit Admin	istrative Set: custom workflow
Pescription Participa	nts Release and Visibility Workflow
dd Particina	nfe
Add Participa	nts
Add Participa	nts Select a group v as Select a role v Add
Add group:	Select a group v as Select a role v Add



1.



NOTCH8

JT

Step 1: Fix Groups

Fix non-alignment of Hyrax and Hyku groups, making them one group system.

Adding groups as participants to Admin Sets not working #1270



() Open bbranan opened this issue on Jun 21, 2017 · 2 comments

	12	2
1		5

|--|

Contributor

```
To duplicate:
```

- 1. Create a group
- 2. Select Administrative Sets and select one from the list (Default Admin Set is fine.)
- 3. Click Edit, then select the Participants tab
- 4. On the row with label "Add group:", in the box that says "Search for a group", type whatever you like, select a role, and click Add

Things to note:

- There is no way to select from a list of existing groups
- No matter what you type into the field (even if you type nothing), it will be added to the list with the selected role. It doesn't matter if this is the name of an actual group or not.
- No matter what action is taken, even if it is clearly an error, the only feedback is a green bar at the top saying "The administrative set's participant rights have been updated".










Step 2: Make default groups with needed roles (PALS)









Step 2a: Ability to create custom groups and assign roles

PALCI English -A 7 Gretchen Gueguen & -Gretchen Gueguen Home / Dashboard / Workflow Roles ACTIVITY Workflow Roles Repository Activity Your activity Group required Lill Reports REPOSITORY CONTENTS Workflow role required Collections Default Admin Set - approving (default) Works Default Admin Set - approving (one_step_mediated_deposit) Default Admin Set - depositing (default) Default Admin Set - depositing (one_step_mediated_deposit) Importers Default Admin Set - managing (default) Default Admin Set - managing (one_step_mediated_deposit) Exporters Test mediated admin set - approving (default) Test mediated admin set - approving (one step mediated deposit) Test mediated admin set - depositing (default) TASKS Test mediated admin set - depositing (one step mediated deposit) Test mediated admin set - managing (default) Review Submissions Test mediated admin set - managing (one step mediated deposit) custom workflow - approving (default) Manage Users custom workflow - approving (hyku_commons_mediated_deposit) custom workflow - approving (one_step_mediated_deposit) custom workflow - depositing (default) Manage Groups ~ custom workflow - depositing (hyku_commons_mediated_deposit) custom workflow - depositing (one_step_mediated_deposit) Manage Embargoes custom workflow - managing (default) custom workflow - managing (hyku_commons_mediated_deposit) custom workflow - managing (one_step_mediated_deposit) Manage Leases mediated deposit - approving (default) mediated deposit - approving (hyku_commons_mediated_deposit) CONFIGURATION mediated deposit - approving (one step mediated deposit) mediated deposit - depositing (default) mediated deposit - depositing (hyku commons mediated deposit) Settings mediated deposit - depositing (one step mediated deposit) mediated deposit - managing (default) Workflow Roles mediated deposit - managing (hyku_commons_mediated_deposit) Search mediated deposit - managing (one step mediated deposit)





2b: Synchronize tenant roles and admin set/collection roles

Replace current defaults with newly created roles

g Edit A	Administ	rative Set: cust	om	workflow	V	
Description	Participants	Release and Visibility	Work	flow		
Add Par	ticipants					
Add group:		Select a group	✓ as	Select a role	~ A	dd
Add group: Add user:				Select a role		dd






NOTCH8

Step 3: Retain ability to assign Sipity roles in addition

Assign Role	
Workflow role required	
Default Admin Set - approving (default)	
Default Admin Set - approving (one_step_mediated_deposit)	
Default Admin Set - depositing (default)	
Default Admin Set - depositing (one_step_mediated_deposit) Default Admin Set - managing (default)	
Default Admin Set - managing (default) Default Admin Set - managing (one_step_mediated_deposit)	
Test mediated admin set - approving (default)	2815
Test mediated admin set - approving (one_step_mediated_deposit)	512
Test mediated admin set - depositing (default)	✓u
Test mediated admin set - depositing (one_step_mediated_deposit)	NOTCH
Test mediated admin set - managing (default)	
Test mediated admin set - managing (one_step_mediated_deposit)	
custom workflow - approving (default)	
custom workflow - approving (hyku_commons_mediated_deposit)	Collaborative, Strategic,
custom workflow - approving (one_step_mediated_deposit)	
cuetom workflow - denociting (default)	
1	

8

Step 4: Elevate groups to multi-tenant (TBD)





NOTCH8




Step 5: create multi-tenant group editor (TBD)

Hyku Commons 🕸 Accounts 🛛 😁 Users English -Logout Home / Manage Users A Manage Groups Create New Show 10 v entries Search: Email 1: Display name Department Title Affiliation Superadmin Actions aahurford@gmail.com false Manage | Edit | Become | Delete abigailmn@goshen.edu false ake@susqu.edu false amanda@palni.edu true audituser@example.com false B.D. Smith beau1smith@gmail.com false bkern@alleghenv.edu false bsmith3@allegheny.edu false cpaddick@bloomu.edu false cpost@eastern.edu false Showing 1 to 10 of 39 entries Previous











Methodology:

- Gathering input from many libraries
- Synthesize into prioritized needs
- Translate to the Hyrax/Hyku environment





THANK YOU!

Questions?

Visit: hykuforconsortia.org

Twitter: @hyku4consortia

Email: <u>gretchen@palci.org</u>, <u>amanda@palni.edu</u>





